

An antibacterial eye preparation.....

Nikiquin[®]

Moxifloxacin Hydrochloride eq. Moxifloxacin 0.5% w/v

MOXIFLOXACIN

- Moxifloxacin is a broad-spectrum antibiotic
- Good penetration into ocular tissues
- Active against both Gram-positive & Gram-negative bacteria
- Inhibits DNA gyrase, a type II topoisomerase, and topoisomerase IV

Indication

- Pink Eye
- Bacterial Eye Infection
- Inflammation of the Cornea due to Bacteria
- Ulcer of the Cornea (Moderate) of the Eye with Bacterial Infection



Nikiquin

Nikiquin[®]

- Get instant relief from bacterial eye infection



Complete relax from bacterial infection

Nikiquin™ - T

Moxifloxacin Hydrochloride eq.
Moxifloxacin 0.5% + Tobramycin 0.3%

Nikiquin-T



Nikiquin-T

- Combination of two antibiotic
- Tobramycin that kills bacteria by preventing the synthesis of essential proteins required by bacteria to carry out vital function.
- Moxifloxacin kills bacteria by preventing them from reproducing and repairing themselves.
- Together, they treat your eye infection effectively

TOBRAMYCIN

- Tobramycin is an aminoglycoside antibiotic
- Effective in Gram-negative bacterial infections especially effective against species of Pseudomonas

MOXIFLOXACIN

- Moxifloxacin is a broad-spectrum antibiotic
- Active against both Gram-positive and Gram-negative bacteria

Nikiquin™ - T - Refined treatment of Bacterial conjunctivitis



Perfect combination of a 4th generation fluoroquinolone antibiotic & a corticosteroid

Nikiquin[®] - LP

Moxifloxacin Hydrochloride 0.5% + Loteprednol Etabonate 0.5%

Nikiquin-LP

LOTEPREDNOL

Loteprednol Etabonate is a steroid which blocks the production of certain chemical messengers (prostaglandins) that make the eye red, swollen and itchy.

MOXIFLOXACIN

An antibiotic which prevents bacterial cells from dividing and repairing, thereby killing the bacteria

Indication

- Post-operative inflammation following ocular surgery
- Allergic Conjunctivitis
- Infection and inflammation



Nikiquin[®] - LP - Get rid of eye infection, allergic conjunctivitis & ocular inflammation



A trusted combination of anti-infective and steroid...

Nikiquin[®] - DX

Moxifloxacin Hydrochloride 0.5% + Dexamethasone Phosphate 0.1%

Dexamethasone

- A corticosteroid used to treat inflammatory symptoms
- Dexamethasone blocks the production of certain chemical messengers (prostaglandins) that make the eye red, swollen and itchy.

Indications

- Swelling, redness and itching of the Eye
- Diabetic macular edema
- Central retinal vein occlusion and uveitis.
- To treat acute endophthalmitis.



Nikiquin-DX

Nikiquin[®] - DX - Treatment of ocular infection and inflammation associated with bacterial blepharitis



Trusted combination of anti-infective and NSAID

Nikiquin[®] - KT

Moxifloxacin Hydrochloride 0.5% + Ketorolac Tromethamine 0.4%

MOXIFLOXACIN

Broad spectrum antibiotic

Ketorolac

- First-generation Nonsteroidal Anti-inflammatory Drug (NSAID)
- Inhibits prostaglandins bio synthesis.

Indication

- Manages post-operative inflammation and infection in cataract surgery
- Administer moderate to severe pain & burning post cataract or corneal refractive surgery
- Manage pain in corneal abrasions
- Maintain mydriasis in cataract surgery



Nikiquin-KT

Nikiquin[®] - KT - For post-operative infection & inflammation





Assured and fast relief from pain

Nikiquin[®] - BM

Moxifloxacin Hydrochloride 0.5% + Bromfenac 0.09%



Nikiquin-BM

Moxifloxacin

- A quinolone antibiotic

Indications

- Postoperative inflammation and reduction of ocular pain in cataract surgery.

Bromfenac

- Bromfenac is a topical nonsteroidal anti-inflammatory drug (NSAID)
- Bromfenac is well absorbed through the cornea
- Reaches highest concentrations in the aqueous humour
- Reduce macular edema and thickness of the retina
- Improve visual acuity after surgery

Nikiquin[®] - BM - In relieving pain and inflammation

The higher strength fluoroquinolone

GATIFREE™ - HS

Gatifloxacin (0.5%)

Gatifloxacin

- Inhibits the bacterial enzymes DNA gyrase and topoisomerase IV
- Rapid absorption

INDICATIONS

- Useful for treatment of bacterial conjunctivitis
- On instillation few hours before surgery it shows significant reduction in bacterial count
- Best corrected visual activity



Gatfree-HS

GATIFREE™ - HS - The easy resolution of post procedural irritants



NSAID that treats inflammation

Nikinac[®]

Nepafenac 0.1%

Nepafenac

- A Nonsteroidal Anti-inflammatory Drug
- An inhibitor of COX-1 (prostaglandin G/H synthase) and COX-2 (cyclooxygenase-2) activity

Indications

- Nepafenac is indicated for the treatment of pain and inflammation associated with cataract surgery
- Reduces the risk of postoperative macular edema associated with cataract surgery in diabetic patients



Nikinac

Nikinac[®]

- For diabetic Post-surgical care



Add tears to your dry eyes...

Nikifresh[®]

Sodium Carboxymethylcellulose IP 0.5%

Nikifresh[®] -Gel

Sodium Carboxymethylcellulose IP 1.0%



CMC

- Most commonly used polymeric viscosity agent
- CMC binds to and is retained by corneal epithelial cells
- Increases tear retention
- Stabilizes the natural tear film and maintains necessary lubrication
- It works similar to natural tears

Indicated

- Relief of burning
- Itching
- Redness and swelling
- Discomfort of eyes caused due to dryness or exposure to the sun or the wind

Nikifresh

Nikifresh[®] Nikifresh[®] -Gel - Refresh your eyes every moment

Get real relief from the symptoms of DRY EYE

Likefresh™

Sodium carboxymethyl cellulose 0.5 % +
N-acetylcarnosine 1 % + Glycerin 0.5%

Sodium carboxymethyl cellulose

- Offers protection of the ocular surface also significant reduction in sings & symptoms of dry eye.

N-acetylcarnosine

- Delivers L-carnosine into the aqueous humor of the eye (the fluid area surrounding the lens) where it acts as a natural & comprehensive anti-oxidant, protecting structural lens proteins from the free-radical induced oxidant process.
- Increases intraocular uptake & permeability into the eye enhances ocular bioavailability.

Glycerin

- Eliminates eye discomfort provides relief of burning and irritation due to dryness of eyes.

Likefresh™ - Keep Eye feeling fresh...



Likefresh

INDICATIONS

- Irritation and discomfort in eye
- Dry eye
- Post laser Treatment
- Burning Sensation
- Chronic conjunctival irritation

Healing Freshness for Ophthalmic Infections

Likefresh™ - Plus


Hydroxypropylmethylcellulose I.P. 3.0 mg + Sodium Perborate B.P. 0.028 %
+ Glycerin I.P.+ Dextran 70 U.S.P

Other ingredients

- Glycerin I.P., Dextran 70 U.S.P., Boric Acid I.P., Borax B.P., Calcium Chloride Dihydrate I.P., Magnesium Chloride Hexahydrate I.P., Sodium Chloride I.P., Potassium Chloride I.P., Zinc Chloride I.P., Tween-80 I.P., Glycine I.P.

Eye irritation associated

- Provides optimum lubrication for dry eyes
- Relieves eye irritation
- Preservation with Sodium perborate provides an advantage of generating very low level of hydrogen peroxide
- Ocular lubricant for artificial eyes also
- No trace of preservative and no harmful chemicals remain
- 0.006% H₂O₂ is imperceptible within 1 minute of instillation
- Enzymes in eye break it down to simple water and oxygen
- These are absorbed into the tear film leaving only the soothing relief.



INDICATIONS

Dry eye due to:

- Wind
- Sun
- Age Heating
- Medication

Likefresh™ - Plus Cures Ocular Infections & keep eye fresh



Unique gelling and lubricating formulations

Nikiwet[®]

Polyethylene Glycol 400- 0.4% & Propylene Glycol- 0.3%

Nikiwet

- Forms a protective layer over a mucous membrane
- Preserve the ocular surface microenvironment
- Increases viscosity

Indications

- For the temporary relief of burning and irritation due to dryness of the eye
- Eyes feel lubricated and refreshed
- Extended protection



Nikiwet

Nikiwet[®] - Moist and refreshed your dry eyes for long time



Brings natural tear back

Nikiwet[®] Plus

Sodium Hyaluronate 1.8mg

SODIUM HYALURONATE

- Is a humectant, lubricant, and hypo-osmotic
- It promotes corneal epithelial repair
- Better at lowering tear osmolarity than glycerine
- Mechanical protection iris, retina & corneal by maintaining high viscosity

Indications

- Corneal wound healing
- Localizes inflammation
- Eye dryness and soreness



Nikiwet+

Nikiwet[®] Plus - Suitable substitute for aqueous and vitreous humour



Predominant in fungal infection

Nikicin™

Natamycin 5%

Natamycin

- An antifungal medication
- Inhibit growth of fungi

Indications

- Treatment of fungal keratitis
- Fungal infections of the eyelids, conjunctiva, and cornea
- Protect against yeast and moulds
- Fungal corneal ulcer



Nikicin

Nikicin™ - Effective fungicidal



Mydriasis achieved effortlessly

Nikimide[®] Plus

Tropicamide I.P. 0.8% + Phenylephrine Hydrochloride I.P. 5.0%

PHENYLEPHRINE is a decongestant that constrict blood vessels in the eye and dilate (make bigger) the pupil

TROPICAMIDE belongs to a group of drugs called anticholinergic agents. These work by relaxing the muscle of the eye that causes the pupil to dilate.

It is used as a mydriatic remedy:

- For diagnostic ophthalmic procedures
- Prior to surgical and laser operations
- It provides faster and more successful pupil dilatation within 40 min
- Effective pupillary dilatation up to 7mm in single drop of tropicamide 0.8% - phenylephrine 5.0% combination



Nikimide+

Nikimide[®] Plus - The ideal mydriatic agent



Eye Itch relief in one drop

Nikipat™ - OD

Olopatadine Hydrochloride IP 0.2% + Benzalkonium chloride Solution IP 0.02%

Olopatadine Hydrochloride

- Olopatadine is an antihistamine that reduces the natural chemical histamine in the body.
- Histamine can produce symptoms of itching or watery eyes.
- Olopatadine ophthalmic (for the eye) is used to treat itching, burning, redness, watering, and other eye symptoms caused by allergic conditions.

Benzalkonium chloride

- Increase ocular blood flow in glaucoma
- Beneficial for retinal peripapillary blood flow
- Helps in diabetic retinopathy
- Sharper cognitive function



Nikipat-OD

INDICATIONS & USAGE

- NIKIPAT OD Eye Drops is indicated for the treatment of ocular itching associated with allergic conjunctivitis

Nikipat™ - OD - Curb Ocular itching within a minute



Start working within 3 minutes

BEPOPAT™

Bepotastine Besilate 1.5%

Bepotastine Besilate

- A New frontier in the management of Allergic conjunctivitis
- Repaid and Durable Action
- Also effective on non ocular symptoms of Allergic conjunctivitis
- Comfort as equal as placebo

INDICATIONS & USAGE

NIKIPAT-BT Eye Drops This medication is used to treat itching of the eyes due to allergies. Bepotastine is an antihistamine.



Bepopat

BEPOPAT™ – Prescribing information

To combat corneal oedema and Vitreous Haemorrhage

Cortigon™

Potassium Iodide (3.3%) + Calcium Chloride (1.325%) + Sodium Chloride(0.83%)+Phenylmercuric Nitrate(0.001%)

Prevents the early formation of cataract

- The potassium may reduce corneal oedema by supporting glycolysis and metabolic activity
- Prevents corneal damage from secondary oedema
- Aids in the resorption of various pathological deposits
- Ideal combination for vitreous haemorrhage

INDICATIONS

- Well tolerated & demonstrates improvement in the visual acuity
- Reduces corneal thickness and post-operative inflammation.

Cortigon™ Care & Convenience Together



Cortigon



Infection & pain in ear...

Earcain™

Neomycin Sulphate + Beclomethasone + Clotrimazole
+ Lignocaine Hydrochloride Ear Drops

Neomycin Sulphate

- Neomycin is an antibiotic that fights bacteria in the body.
- Neomycin is used to reduce the risk of infection during surgery of your intestines. Neomycin is also used to reduce the symptoms of hepatic coma.
- Neomycin may also be used for purposes not listed in this medication guide.

Beclomethasone

- Beclomethasone is used to prevent and control symptoms (wheezing and shortness of breath) caused by asthma. This medication belongs to a class of drugs known as corticosteroids. It works by reducing the swelling of the airways in the lungs to make breathing easier.

Clotrimazol

Clotrimazole is used to treat skin infections such as athlete's foot, jock itch, ringworm, and other fungal skin infections.

Lignocaine Hydrochloride

- This medication is used on the skin to stop itching and pain from certain skin conditions (e.g., scrapes, minor burns, and to treat minor discomfort and itching caused by hemorrhoids and certain other problems of the genital/anal area.



Earcain

Earcain™ - For the combined action in one



A drop of relief for easy breathing

XYLONAC™

Xylometazoline HCL

Xylometazoline HCL

- Xylometazoline nasal is a decongestant that shrinks blood vessels in the nasal passages. Dilated blood vessels can cause nasal congestion (stuffy nose).
- Xylometazoline nasal (for use in the nose) is used to treat stuffy nose caused by allergies, sinus irritation, or the common cold.

INDICATIONS & USAGE

Allergic Rhinitis
Blocked Nose
Sinusitis



Xylonac

XYLONAC™ NASAL SPRAY – For long lasting relief

Time tested therapy in Eye Infections

Cortinac-H™

Chloramphenicol (10mg) + Hydrocortisone (5mg) Ointment

Chloramphenicol


- It is a broad spectrum antibiotic inhibits bacterial protein synthesis
- Active against a widevariety of gram (+)ve and gram (-)ve bacterial and anaerobes

Hydrocortisone

- It is a steroid reduces inflammation by inhibiting the inflammatory mediators
- It blocks the production of certain prostaglandins that cause swelling and itching after an infection

INDICATIONS

- Transferred Ophthalmia Blepharitis
- Non -ulcerous keratitis
- Allergic Conjunctivitis



Cortinac-H

Cortinac-H™

- Protector for Eye Infections



Perfect answer to migraine

NIKIGRAIN™-10

Flunarizine Dihydrochloride 10mg

Flunarizine

- Calcium channel blocker that reduces smooth muscle spasm

Indications

- Occlusive peripheral vascular disease
- Prophylaxis of migraine
- Vertigo of central and peripheral origin
- Headache



Nikigrain

NIKIGRAIN™-10 - Is effective in the prophylaxis of migraine

Vital healthy protection for eye

LIKESITE™ Tablets

Lutein 10 mg + Zinc 10 mg + Zeaxanthin 2 mg + Astaxanthin 2 mg + Copper 1.35 mg + Vitamin D2 400 IU + Vitamin B12 1 mcg



Lutein

- Lutein is one of two major carotenoids found in the human eye (macula and retina). It is thought to function as a light filter, protecting the eye tissues from sunlight damage

Zinc

- It is used to help growth and good health

Zeaxanthin

- Zeaxanthin is a carotenoid molecule found in the cells of your eyes

Astaxanthin

- Astaxanthin is an antioxidant. That means it helps reduce a natural process in your body called oxidation

Copper

- Copper is an essential nutrient for the body. Together with iron, it enables the body to form red blood cells

Vitamin D2

- It works by helping the body to use more of the calcium found in foods and supplements

Vitamin B12

- It is used to prevent and treat low vitamin B12. Lack of vitamin B12 may cause anemia and damage to the nerves. It is used to treat diabetic neuropathy and peripheral neuropathy

LIKESITE-Tablets - Keep Vision Healthy A unique blend of nutrients



Revitalize your eyes

NIKIMEGA™ -S.G.

EPA- 90 mg, DHA- 60mg, Lycopene(10%)-5000 mcg, Methylcobalamin- 1500 mcg, Grape Seed Extract 50mg, Vitamin A- 2941mg, Folic Acid- 1.5 mg, Zinc Sulphate Monohydrate-22.5 mg, Chromium Picolinate- 200 mcg

OMEGA 3 FATTY ACIDS: EPA & DHA are the most abundant fatty acids in the brain and the RETINA.

DHA is used for treating type 2 diabetes, coronary artery disease (CAD), dementia, and attention deficit-hyperactivity disorder (ADHD). Protect against damage from bright light exposure and oxidative stress.

EPA is used for preventing age-related macular degeneration (AMD), heart disease, and diabetes.

Lycopene an antioxidant that reduces macular degeneration.

Methylcobalamin- helps in glaucoma. useful in the treatment of visual field defects in patients with NTG


Folic Acid-Folic acid helps your body produce and maintain new cells,

Chromium picolinate-it helps to decrease intraocular pressure in computer vision syndrome/ digital eye strain

Vitamin A- it helps to fight night vision problem. Also lowers risk of cataracts and macular degeneration, helps to fight off pink eye symptoms

Grape seed extract-Benefits are

- Night vision
- Macular degeneration
- Dry eye syndrome
- Cataract prevention



Nikimega-SG

NIKIMEGA™ -S.G. - Supplement that treat your eyes naturally



For better vision..

NIKIMEGATM PLUS

Multivitamin, Multimineral,
Amino Acids with Taurine & Ginseng Extract



Taurine

- Most abundant amino acid in the brain & Retina, vitreous, lens, cornea, iris, and ciliary body
- In the Retina, taurine is critical for photoreceptor development
- Low taurine levels are associated with cataract formation
- Protects cells of the retina from damage caused by oxidants and bright light

Ginseng

- Increase ocular blood flow in glaucoma
- Beneficial for retinal peripapillary blood flow
- Helps in diabetic retinopathy
- Sharper cognitive function

Multi vitamin & Multi mineral

- Protect oxidative damage
- Promote eye health and reduce ailments like dryness, inflammation and more
- Improve vision and maintain overall ocular health.

Nikimega+

NIKIMEGATM PLUS - Vitamins & Minerals that keep your eyes healthy



“Two Together always perform Better”

NIKICLAV-CV™ Tablets

AMOXYCILLIN 500MG & CLAVULANIC ACID 125MG

Amoxicillin

Amoxicillin is a penicillin antibiotic, used to treat a range of infections caused by bacteria.

Clavulanic acid

Clavulanic acid is a beta Lactamase Inhibitor. It acts by breaking the beta-lactam ring that allows penicillin-like antibiotics to work.

INDICATIONS

- Middle ear and sinus infections
- Respiratory tract infections
- Urinary tract infections
- Skin and soft tissue infections including dental infections
- Bone and joint infections

NIKICLAV-CV™ - Treat bacterial infections



Nikiclav-CV



“A good choice in hyperacidity & acid reflux”

NIKIRAB-D™ Capsules

RABEPRAZOLE SODIUM 20MG & DOMPERIDONE 30MG

Rabeprazole

Rabeprazole is a proton pump inhibitor that suppresses gastric acid production in the stomach.

Domperidone

Domperidone that increases the movements or contractions of the stomach and bowel. And used as an antiemetic, gastroprokinetic agent.

INDICATIONS

- Gastric acidity
- Gastro-intestinal reflux
- Stomach & Intestinal ulcers
- Treatment for symptoms associated with idiopathic or diabetic gastroparesis
- Post-operative nausea and vomiting
- Dyspepsia
- GERD

NIKIRAB-D™

- For rapid symptomatic relief in GERD



Nikirab-D



A complementary for complete relief

NIKIFANAC-SP™ Tablets

ACECLOFENAC 100MG, PARACETAMOL 325MG, SERRATIOPEPTIDASE 15MG

NIKIFANAC SP Tablet works by blocking the action of cyclo-oxygenase in the body. Increases the pain threshold and blood flow across the skin.

Aceclofenac

Aceclofenac is a NSAID used for the relief of pain and inflammation. Inhibits the action of cyclooxygenase (COX) that is involved in the production of prostaglandins (PG) which is accountable for pain, swelling, inflammation and fever.

Serratiopeptidase (Serrapeptase)

Serratiopeptidase (Serrapeptase) is a proteolytic enzyme that has fibrinolytic and anti-inflammatory activity.

Paracetamol

Paracetamol, also known as acetaminophen and APAP, is a medicine used to treat fever and mild to moderate pain



Prescribed For

- post-operative inflammation, oedema and pain
- Trauma & fracture pain
- Toothache
- Low back pain
- Inflammation and pain due to bone and soft tissue injury

NIKIFANAC-SP™ -Triple action to take care of Inflammation & Pain



Allergy requires multi-pronged

NIKICOLD™ - M Tablets

Montelukast Sodium 10 mg + Levocetirizine Hydrochloride 5 mg



Levocetirizine


Time tested anti-pyretic

Montelukast

Reduce allergic symptoms.

INDICATIONS

- Seasonal allergic rhinitis
- Chronic urticaria
- Perennial allergic rhinitis



NIKICOLD™ - M - Freedom from Symptoms of Common Cold

Quality Ophthalmic Care...

Thank you,
Have a Nice day



www.abhishek.info



Nikon Lifescience Pvt Ltd

804/805, Classical Residency, Singasandra Begur Rd, Opp Star Bazar, Bangalore-560068
www.nikon.co.in | Email: info@nikkon.co.in | Tel: +91-6206027174



Nikon Lifescience Pvt Ltd